

HP ProLiant DL580 G5 with BL685c: #1 Payroll Processing result on Oracle E-Business Suite benchmark



HP Leadership





HP ProLiant DL580 G5 and BL685c

Customer Value

What are the benefits of using HP ProLiant servers for Oracle applications?



HP infrastructure is modular, so it's easy to expand and repurpose. In the same way, Oracle E-Business Suite gives you the capability to add

applications as your business expands.

You can implement with confidence, knowing that you are backed by the full strength of the HP/Oracle Alliance. With over 25 years of partnership between HP and Oracle, including executive alignment at the highest levels, it's not surprising that HP is a leading infrastructure partner across all Oracle application suites—including Oracle E-Business Suite.

HP's engineering investment in Oracle applications and technologies has produced significant customer benefits. For example, HP continually publishes leading benchmark results for Oracle Application environments, and HP and Oracle host 13 technology and competency centers worldwide. As a result, HP and Oracle have over 140,000 joint customers across the globe.


By helping businesses reduce risk, cut costs, and generate growth, HP and Oracle—together with our partners—provide you with outstanding technology for better business outcomes.


Results as of 08-22-08.

Key Points

- #1 Payroll Checks per Hour Throughput in the industry
- Excellent Price/Performance Beats IBM p570 in 3 out of 4 benchmark performance criteria at a fraction of the cost

Figure 1. HP ProLiant DL580 G5 OASB Medium Model performance comparison with IBM and SGI platforms





ProLiant price posted online vs. p570 'Call for price'

IBM p570 POWER5 4P costs over \$80K per TPC-C report*

HP ProLiant DL580 G5 2.93GHz Rack Server \$18,609.00 ¹ 8/28/2008³ 4 Quad-Core Intel® Xeon® Processors X7350 (2.93GHz/2x4M 130W)



*No IBM p570 POWER6 TPC-C results posted

Table 1. Result summary of the HP ProLiant DL580 G5 four-processor server compared to other competing platforms on the 3,000-user Oracle E-Business Suite 11i Medium Model Benchmark. The Oracle E-Business Suite 11i Medium Model Benchmark workload is best-aligned to 8-core and larger systems.

	IBM System p570	SGI Altix 450	DL580 G5
Online Users	3,000	3,000	3,000
Average Response Time (lower is better)	0.764 sec	0.453	0.393
90 th percentile Response Time (lower is better)	1.484 sec	0.854	0.655
Order-to-Cash Lines/Hour Batch Throughput (higher is better)	94,757	68,353	82,713
Payroll Checks/Hour Batch Throughput (higher is better)	74,257	81,744	88,106

Results valid as of 8-22-08. More information on published benchmark results is available at: http://www.oracle.com/apps_benchmark/html/results.html#medium.

The HP advantage: HP innovative technology behind the results

On August 22, 2008, HP announced new record-breaking results on the Oracle E-Business Suite 11i Medium Model benchmark for the HP ProLiant DL580 G5 and four ProLiant BL685c server blades. These stellar results were achieved using the HP ProLiant DL580 G5 server as the database tier and four HP ProLiant BL685c server blades for the application tier. The HP ProLiant DL580 G5 server with Quad-Core Intel Xeon processors delivers maximum performance, industry leading management solutions, flexibility for a variety of enterprise deployments, and maximum performance per watt. The HP ProLiant BL685c 4-processor, multi-core server blade has features equal to standard 1U rack mount servers, combining power-efficient compute power and high density with expanded memory and I/O for maximum performance. Also included in the achievement of these results are high quality HP storage products, such as the HP Smart Array P400i Controller and an HP Storage Works EVA6000 disk array.

The HP ProLiant DL580 G5 server


The HP ProLiant DL580 G5 is the best in class platform for compute intensive applications, combining Intel's new multi-core Xeon® processor technology, maximum scalability and high availability features. This 4 socket server offers unsurpassed flexibility and serviceability in a versatile, 4U, rack-optimized form factor. Based upon the latest industry standard processing, memory, I/O and networking technologies, the ProLiant DL580 G5 provides the highest levels of performance demanded by today's compute intensive applications and virtualization. Unparalleled high availability features, including hot-plug redundant components, promotes maximum uptime. Remote management is made easy with Integrated Lights-Out 2 (iLO 2) technology which allows remote administration from a standard web-browser without ever having to visit the server. Its highly expandable architecture provides maximum application deployment flexibility with the ability to add PCI-Express, PCI-X or battery-backed write cache options. Innovative features, such as the ability to access processors, memory, hard drives, and power supplies while the unit remains secured in the rack, enable rapid response to service events, radically decreasing overall IT costs and server downtime.

The HP ProLiant BL685c server blade

The HP ProLiant BL685c server blade delivers no-compromise performance and expansion in the densest 4P server blade form factor available. With up to four AMD Opteron™ 8000 Series processors, 128GB of DDR2 memory, two hot-plug serial hard-drives, four embedded Gigabit NICs and three I/O expansion slots, the HP ProLiant BL685c delivers the density you want with the performance you need to handle the most demanding enterprise class applications.

About the Oracle Applications Standard Benchmark (OASB)

The Oracle Applications Standard Benchmark seeks to demonstrate performance and scalability of Oracle E-Business Suite on a variety of platforms. A representative workload is maintained with end-to-end business flows, including both online and batch components.



The benchmark simulates different workloads with variable data model sizes (small, medium, large).

Model Size	Payroll Batch	Order-to-Cash Batch
Small (up to 1000 users)	5,000 checks/hr	10,000 lines/hr
Medium (1001-3000 users)	10,000 checks/hr	50,000 lines/hr
Large (> 3000 users)	50,000 checks/hr	100,000 lines/hr

Benchmark results are generated to provide representative sizing guidelines and best practices. All results are reviewed and certified by an independent auditor before Oracle publishes the benchmark report. Benchmark tuning is documented and generic for all hardware vendors to ensure reproducible results.

Four primary metrics are reported from the benchmark:

- 1. Average Online Response Time
- 2. 90th Percentile Response Time
- 3. Order-to-Cash Batch Throughput as measured by number of order lines processed per hour
- 4. Payroll Batch Throughput as measured by number of employee paychecks processed per hour

Server configurations

HP ProLiant DL580 G5 server 3,000-user results on Oracle E-Business Suite 11i Benchmark: In July and August 2008, Oracle and Hewlett-Packard conducted a benchmark in Cupertino, California, to measure the online and batch performance of the Oracle Applications Standard Benchmark processes in an environment running Oracle E-Business Suite (EBS) 11i (11.5.10) with Oracle Database 10gTM (10.2.0.3) 64-bit and Red Hat® Enterprise Linux® Advanced Server release 4.0 Update 6, and achieved 82,713 Lines per Hour, 88,106 Checks per Hour, a 90th percentile response time of 0.655 seconds, and an average response time of 0.393 seconds. This result, submitted 08-22-08, was achieved on a Hewlett-Packard® ProLiant™ DL580 G5 database server configured with 4 x 2.93GHz Quad-Core Intel® Xeon™ X7350 processors (4 processors/16 cores/16 threads) with 2x4MB Level 2 cache per core, 128GB memory, and PC2-5300 Registered DDR2-667MHz DIMMs. The system used 2 x 72GB SFF SAS internal disk drives attached to an integrated HP Smart Array P400i Controller, and one HP Storage Works EVA6000 disk array attached to a single HP Storage Works 4Gb PCI-e Fibre Channel controller for data and logs. Three HP ProLiant BL685c server blades each with 4 x 3.0GHz Dual-Core AMD Opteron 8222 processors (4 processors/8 cores/8 threads) and 32 GB memory were used as application/web servers and one HP ProLiant BL685c server blade with 4 x 3.0GHz Dual-Core AMD Opteron 8222 processors and 32 GB memory was used as a Concurrent Manager server.

vs. SGI Altix 450 3,000-user results on Oracle E-Business Suite 11i Benchmark: In September and October 2007, Oracle and SGI conducted a benchmark in Mountain View, California, to measure the online and batch performance of the Oracle Applications Standard Benchmark processes in an environment running Oracle E-Business Suite (EBS) 11i (11.5.10) with Oracle Database 10g[™] (10.2.0.3) and Red Hat Enterprise Linux AS for Itanium 4.4 (64-bit) operating system, and achieved 68,353 Lines per Hour, 81,744 Checks per Hour, a 90th percentile response time of 0.854 seconds, and an average response time of 0.453 seconds. This result, submitted 10/18/07, was achieved on an SGI Altix 450 database server configured with 16 x 1.66GHz Dual-Core Itanium Processor

950 (16 processors/32 cores/32 threads) with 24MB cache per socket, and 128GB memory. An SGI IS4500 was used for data storage. Five SGI Altix XE240 two-processor Dual-Core servers were used as application/web servers.

vs. IBM System p570 3,000-user results on Oracle E-Business Suite 11i Benchmark: In March and April 2007, Oracle and IBM conducted a benchmark in Beaverton, Oregon, to measure the online and batch performance of the Oracle Applications Standard Benchmark processes in an environment running Oracle E-Business Suite (EBS) 11i (11.5.10) with Oracle Database 10g[™] (10.2.0.2) and IBM AIX 5L V5.3 TL06 operating system, and achieved 94,757 Lines per Hour, 74,257 Checks per Hour, a 90th percentile response time of 1.484 seconds, and an average response time of 0.764 seconds. This result, submitted 05/01/07, was achieved on an IBM System p570 database server configured with 4 x 4.7GHz Dual-Core IBM POWER 6 processor chips (4 processors/8 cores/16 threads) with 4MB L2 cache per Core, L3 cache of 32 MB per single core, and 128GB memory. An IBM TotalStorage DS4800 was used for data storage. Two IBM System p570 POWER5 four-processor Dual-Core servers were used as application/web servers.

For more information

HP ProLiant DL580 G5: www.hp.com/servers/dl580

HP ProLiant BL685c G5 Server Blade: www.hp.com/servers/bl685c

HP ProLiant storage solutions: www.hp.com/go/serial and https://doi.org/10.1001/j.ncm/products/servers/platforms/storage.html

OASB information and results: www.oracle.com/apps_benchmark/html/results.html
HP and Oracle partnership: http://h71028.www7.hp.com/enterprise/cache/4281-0-0-0-

121.aspx?jumpid=hpr_R1002_USEN

*IBM p570 (POWER5) pricing from TPC-C results report:

http://www.tpc.org/results/individual_results/IBM/IBM_P570_Linux_Oracle_071005_ES.pdf

HP Oracle E-Business Solution brief for midsize businesses: http://h71028.www7.hp.com/ERC/downloads/4AA1-

5108ENW.pdf

^{© 2008} Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Windows is a registered trademark of Microsoft Corporation in the U.S. and other jurisdictions. Intel is a trademark or registered trademark of Intel Corporation or its subsidiaries in the United States and other countries. Xeon is a trademark or registered trademark of Intel Corporation in the U.S. and other countries and is used under license. Linux is a U.S. registered trademark of Linus Torvalds. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation. August 2008