HP StorageWorks Ultra Density Optical Jukebox family







HP StorageWorks Optical Jukeboxes are designed for long-term, permanent, archival storage of electronic records or data, and provide easy compliance for today's various regulatory requirements. In addition, HP StorageWorks Optical Jukeboxes combined with 30 GB per disk Ultra Density Optical (UDO) technology, provide a cost-effective means for achieving compliance.

HP StorageWorks Optical Jukeboxes now provide storage capacities from 30 GB in a standalone desktop product, and 1.0 to 7.1 TB in jukeboxes, making it the ideal cost-effective storage solution for small, medium and enterprise business customers. This increase in capacity has brought the cost per gigabyte down by more than 75% when compared with Magneto-Optical! Additionally, the ability to have a mixed-drive solution in both mid-range and



Optical 30ux standalone



Optical 1000ux, 1900ux, 2300ux Jukebox

high-end allows customers with legacy Magneto-Optical (MO) media to still read their old media yet take advantage of the new, higher capacity UDO drives and media. HP UDO media is based on ultra density, blue laser technology and stores up to three times the data at 84% less than the cost of MO media.

High-end 30 GB Optical Jukeboxes

The HP StorageWorks Optical 3800ux and 7100ux Jukeboxes provide enterprise-level, cost-effective, removable storage of 3.8 TB to 7.1 TB in either Write Once Read Many (WORM) or rewritable format. Along with standard Low Voltage Differential SCSI (LVDS) interface, these products can provide fibre connectivity when combined with the HP StorageWorks Network Storage Router N1200 or M2402. Products start at a



Now with storage capacities from 30 GB in a standalone desktop product and 1.0 to 7.1 TB in jukeboxes, HP is able to provide a capacity point to meet most customer's needs.

4 drive, 128 slot unit (3800ux) and can be upgraded with HP kits to a maximum configuration of 10 drives and 238 slots (7100ux) with various drive and slot configuration in between. There is also the ability to have a mixed drive jukebox for customers with legacy Magneto-Optical environments. This jukebox is a 10 drive (4 Magneto-Optical, 6 Ultra Density Optical), 238 slot jukebox. Mixed drive and fibre support are dependent on the support of the ISV software.

Mid-range 30 GB Optical Jukeboxes

The HP StorageWorks Optical 1000ux, 1900ux, and 2300ux Jukeboxes provide medium-sized businesses to enterprise-level customers with cost-effective, removable storage of 1.0 TB to 2.3 TB in either WORM or rewritable format. Along with standard LVDS interface, these products can provide fibre connectivity when combined with the HP StorageWorks Network Storage Router N1200 or M2402. Customers can purchase the entrylevel 1000ux and upgrade with HP kits to the 1900ux. The 1900ux has the ability to have a mixed drive configuration (2 Magneto-Optical and 2 Ultra Density Optical drives) for customers with legacy Magneto-Optical environments. The Optical 2300ux Jukebox is a specific point product in the mid-range for those needing higher storage capacities in a mid-sized jukebox. Mixed drive and fibre support are dependent on the support of the ISV software.

30 GB Optical Standalone

The HP StorageWorks Optical 30ux standalone product is ideal for long-term, permanent storage on the desktop or in a distributed environment. It provides 30 GB of removable, WORM or rewritable storage. The 30ux ships with drivers for Microsoft® Windows® (2000, 2003 and XP). The 30ux is perfect for those working in computer aided design offering easy, secure desktop storage. These devices are also appropriate for remote point of sales (POS) capture devices to provide a permanent log of transactions that can later be sent off-site.

Key features and benefits

- Increased capacity: Provides more than three times the storage capacity of the previous Magneto-Optical technology in the same footprint
- Lowered cost: Leverages from the previous generation jukeboxes while increasing the capacity allowing the cost/GB to decrease by as much as 75%; combines high capacity with low media cost for an exceptionally low cost of ownership
- Added flexibility: Provides the ability to have a mixeddrive (Magneto-Optical and Ultra Density Optical) jukebox in the mid-range and high-end, and flexibility to read MO media while taking advantage of the new higher capacity UDO media and drives
- Improved connectivity: Offers LVDS interface and the ability to connect to fibre via a fibre-to-SCSI router solution
- Improved WORM functionality: Improves WORM functionality by using phase change writing for writeonce processes; allowing easier compliance with laws and regulations regarding tamper proof electronic files
- Reliable: Provides HP designed robotics for worry-free operation
- Fast: Features read and write speeds increased by up to 33%
- Well-connected: Features compatibility with leading operating systems, software and servers
- Future-proof: Delivers a compelling technology roadmap, doubling capacity each generation
- Standards: Delivers the competitive benefits of a standard format based on UDO technology

Technical specifications

HP StorageWorks Ultra Density Optical Jukebox family



Standalone/drive capacity and performance	30ux
Disk capacity	30 GB
Sustained transfer rate read	8 MB/s
Sustained transfer rate write	4 MB/s
Burst transfer rate synchronous	40 MB/s Low Voltage Differential SCSI mode 20 MB/s SE mode
Burst transfer rate asynchronous	40 MB/s
Average seek	25 ms
Rotational speed	2010 rpm WORM, 1950 rpm Rewritable
Load (w/spin up)	7 s typical
Unload (w/ spin down)	5 s typical
Mean Time Between Failures (MTBF)	100,000 hours
Mean Swap Between Failures (MSBF) horizontal orientation	750,000 swaps
Read/write error rate	<1 per 1020 bytes read
Interface type	SCSI Low Voltage Differential (LVD) – 68 pin
Buffer size	32 MB

Jukeboxes capacity and performance	1000ux	1900ux	2300ux	3800ux	7100ux
Capacity	960 GB	1920 GB	2280 GB	3840 GB	7140 GB
Slots	32	64	76	128	238
Drive count	2	4	2	4 or 6	4, 6 or 10
Average disk exchange time	6.5 seconds				
SCSI connectivity Low Voltage Differential (LVD) – High Density Thumb Screw (HDTS)	68 pin LVD (HDTS)				
Fibre channel router support	Yes	Yes	Yes	Yes	Yes
Preventive maintenance	None required				
MTBF	100,000 hours				
MSBF	2,000,000 swaps				
Mean Time To Repair (MTTR)	30 minutes				

Technical specifications

HP StorageWorks Ultra Density Optical Jukebox family



Environmental specifications	
Temperature range	Operating: 30ux 15° C to 35° C; all other products 10° C to 35° C Storage: -40° C to 60° C
Humidity range	Operating: 10 to 80% RH (non-condensing) Storage: 5 to 90% RH (non-condensing)
Front panel	Jukebox and drive status, Move media, Load/Unload, Diagnostics
Safety	IEC 60950, UL 60950, CSA 60950; EMC CISPR 22/class A, CISPR 24 For country specific compliance contact your local sales representative

Power specifications	30ux	1000/1900/2300ux	3800/7100ux	
Line voltage	100 to 240 VAC	100 to 240 VAC	100 to 240 VAC	
Line frequency	50 to 60 Hz	50 to 60 Hz	50 to 60 Hz	
Energy-saving mode	n/a	Power savings when robotics are inactive	Power savings when robotics are inactive	
Power consumption	30 W typical 50 W maximum	210/240 W typical 250/275 W maximum	340 W typical 560 W maximum	
Dimensions (HxWxD) inches/cm	3.9 x 6.5 x 11.0/ 10.0 x 16.5 x 28.0	36.0 x 33.9 x 19.0/ 91.4 x 86.3 x 48.2	71.1 x 34.5 x 29.2/ 180.7 x 87.6 x 74.2	
Weight	8.2 lbs (3.7 kg)	220 lbs (100 kg)	490 lbs (222.7 kg)	

Ordering information		
Product number	Product name	Description
AA961A	30ux, 30 GB desktop UDO drive	Standalone only
AA965A	1000ux, 32 slot, 2 drive UDO jukebox	Standalone only, can be upgraded to AA966A
AA966A	1900ux, 64 slot, 4 drive UDO jukebox	Standalone only
AA967A	2300ux, 76 slot, 2 drive UDO jukebox	Standalone only, point product, cannot be upgraded to or built in the field
AA968A	1900ux, 64 slot, 4 drive, mixed drive jukebox	Standalone only, mixed drive, 2 MO drives, 2 UDO drives.
AA969A	3800ux, 128 slot, 4 drive UDO jukebox	Standalone only, can be upgraded with more drives or more slots
AA970A	3800ux, 128 slot, 6 drive UDO jukebox	Standalone only, can be upgraded to 7100ux with more slots
AA971A	7100ux, 238 slot, 6 drive UDO jukebox	Standalone only, can be upgraded to 10 drive unit
AA972A	7100ux, 238 slot, 10 drive UDO jukebox	Standalone only
AA973A	7100ux, 238 slot, 4 drive UDO jukebox	Standalone can be upgraded to 6 or 10 drive
AA974A	7100ux, 238 slot, 10 drive, mixed drive jukebox	Standalone only, mixed drive, 4 MO drives, 6 UDO drives
AA991A	1200mx/660ex MO to UDO Conversion Kit	Materials and 4 UDO drives to convert from previous generation MO high-end products

Ordering information

HP StorageWorks Ultra Density Optical Jukebox family



Product number	Product name	Description			
AA992A	2200mx/1200ex MO to UDO Conversion or 3800ux Capacity Upgrade Kit	Convert older 238 slot jukeboxes to UDO in combination with AA991A or capacity upgrade for 3800ux			
AA993A	3800ux/7100ux Drive Upgrade	1 pair of UDO drives to increase drive capacity in the 3800ux or 7100ux jukeboxes			
AA994A	300mx/160ex MO to UDO Conversion	Materials and 2 UDO drives to convert from previous generation MO mid-range products			
AA995A	600mx Mixed Drive Conversion Kit	Materials to convert 64 slot MO jukebox to UDO in conjunction with AA994A			
AA996A	1000ux Drive/Capacity Upgrade Kit	Includes 2 UDO drives to make a 2 drive, 32 slot UDO jukebox into 4 drive, provides the capacity increase to go from 32 to 64 slots			
Media					
Q2030A	HP UDO 30GB Write Once disk	30 GB of capacity, Write Once			
Q2031A	HP UDO 30GB Rewritable disk	30 GB of capacity			
What's included: 30ux	Standalone drive unit; Documentation CD including user guide; Safety warnings; Driver CD ROM (Windows 2000, XP and Server 2003); Welcome mat; 1 piece 30 GB rewritable media; SCSI terminator; 1 U.S. power cord				
What's included: 1000/1900/2300ux 3800/7100ux	Optical Jukebox unit; Documentation CD including user guide; Safety warnings; Welcome mat; 1 piece 30 GB rewritable media; SCSI terminator; 1 U.S. power cord				
Warranty and support	30ux standalone: HP provides a 1-year, next-day, manufacturing exchange, limited warranty (Warranty Code 4H), plus 9x5 phone support for the duration of the warranty. In order to provide ease of installation, maximize uptime and ROI, HP provides a range of upgradeable service options with both Fixed and Flexible Care Packs. Optical Jukeboxes: HP provides a 1-year, next-day, 13x5 on-site, limited warranty (Warranty Code 4G), plus 9x5 phone support for the				
	duration of the warranty. In order to provide ease of installation, maximize uptime and ROI, HP provides a range of upgradeable service options with both Fixed and Flexible Care Packs.				
30ux Fixed Care Pack	U4823A/E Installation U6372A/E HW, 3-year, NBD, 13x5, on-site* H4438A/E HW, 3-year, 4-hour, 13x5, on-site U2852A/E HW, 3-year, 4-hour, 24x7, on-site U6373A/E HW, 3-year, 6-hour CTR, 24x7, on-site** U9430A/E HW, 4-year, 4-hour, 13x5, on-site U9431A/E HW, 4-year, 4-hour, 13x5, on-site U9432A/E HW, 5-year, 4-hour, 13x5, on-site U9433A/E HW, 5-year, 4-hour, 24x7, on-site				
1000ux, 1900ux and 2300ux Fixed Care Packs	U9438A/E HW, 4-year, 4-hou U9439A/E HW, 4-year, 4-hou U9440A/E HW, 5-year, 4-hou U9441A/E HW, 5-year, 4-hou U3507PE HW, 1-year, 4-hou	rr, 13x5, on-site rr, 24x7, on-site rr CTR, 24x7, on-site rr, 13x5, on-site rr, 24x7, on-site rr, 13x5, on-site			

HP StorageWorks Ultra Density Optical Jukebox family

3800ux Fixed Care Pack	U4823A/E	Installation			
	U6378A/E	HW, 3-year, NBD, 13x5, on-site*			
	H5533A/E	HW, 3-year, 4-hour, 13x5, on-site			
	H4435A/E	HW, 3-year, 4-hour, 24x7, on-site			
	U6379A/E	HW, 3-year, 6-hour CTR, 24x7, on-site**			
	U9442A/E	HW, 4-year, 4-hour, 13x5, on-site			
	U9443A/E	HW, 4-year, 4-hour, 24x7, on-site			
	U9444A/E	HW, 5-year, 4-hour, 13x5, on-site			
	U9445A/E	HW, 5-year, 4-hour, 24x7, on-site			
	H2732PA/PE	HW, 1-year, 4-hour, 13x5, on-site, post warranty*			
	U3505PE	HW, 1-year, 4-hour, 24x7, on-site, post warranty*			
7100ux Fixed Care Pack	U4823A/E	Installation			
	U6380A/E	HW, 3-year, NBD, 13x5, on-site*			
	H5534A/E	HW, 3-year, 4-hour, 13x5, on-site			
	H4436A/E	HW, 3-year, 4-hour, 24x7, on-site			
	U6381A/E	HW, 3-year, 6-hour CTR, 24x7, on-site**			
	U9446A/E	HW, 4-year, 4-hour, 13x5, on-site			
	U9447A/E	HW, 4-year, 4-hour, 24x7, on-site			
	U9448A/E	HW, 5-year, 4-hour, 13x5, on-site			
	U9449A/E	HW, 5-year, 4-hour, 24x7, on-site			
	H2733PA/PE	HW, 1-year, 4-hour, 13x5, on-site, post warranty*			
	U3506PE	HW, 1-year, 4-hour, 24x7, on-site, post warranty*			
All "ux" Jukebox Flexible Care Pack	HA113A1	Installation			
	HA103A1	HW, 1-year, 4-hour, 13x5, on-site			
	HA104A1	HW, 1-year, 4-hour, 24x7, on-site			
	HA105A1	HW, 1-year, 6-hour CTR, 24x7, on-site**			
	HA109A1	HW, 1-year, Support Plus, 13x5, on-site			
	HA110A1	HW, 1-year, Support Plus 24, on-site			
	HA111A1	HW, 1-year, Proactive 24, on-site			
	HA112A1	HW, Tyear, Critical Service, on-site			
	HA101A3	HW, 3-year, next-day, 13x5, on-site			
	HA103A3	HW, 3-year, 4-hour, 13x5, on-site			
	HA104A3	HW, 3-year, 4-hour, 24x7, on-site			
	HA105A3	HW, 3-year, 6-hour CTR, 24x7, on-site**			
	HA109A3				
	HA110A3	HW, 3-year, Support Plus, 13x5, on-site			
		HW, 3-year, Support Plus 24, on-site			
	HA111A3	HW, 3-year, Proactive 24, on-site			
	HA112A3	HW, 3-year, Critical Service, on-site			
		ical Care Pack, 'E' signifies an electronic Care Pack North or Latin America			
Service options	HP recommends that	customers take advantage of the Installation service when incorporating this product into			
		rice will ensure that the product is installed properly, and usable, in the minimum possible			
	time. In order to maximize ROI and product uptime, and minimize the cost of ownership, HP recommends the				
	3-year, 24x7 service options. These offerings will ensure that any product issue can be tackled when they occur				
	(most issues will occur outside standard business hours) and that the service coverage regarding period, covers				
	the minimum expected life of the host system. For more information on HP storage services please visit:				
	www.hp.com/hps/st	orage/			
Financial Services		provides innovative financing and financial asset management programs to help you cost-			
	effectively acquire, manage, and ultimately retire your HP solutions. For more information on these services,				
	please contact your h	HP sales representative, or visit: www.hp.com/go/hpfinancialservices			
For more information		on HP StorageWorks Ultra Density Optical Jukebox products, contact any of our worldwide			
		www.hp.com/go/udo			
	For more information	on HP StorageWorks Magneto-Optical Jukeboxes, please visit: www.hp.com/go/optical			

© 2004 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks of Microsoft Corporation in the U.S. and/or other countries.

