

## hp StorageWorks mezzanine two-stage backup solution

### table of contents

<b>executive summary</b>	<b>2</b>
<b>business needs</b>	<b>4</b>
<b>solution design and design rules</b>	<b>4</b>
<b>assumptions</b>	<b>6</b>
msa1000	6
tape library	6
backup process	6
recovery process	6
Fibre Channel infrastructure	6
<b>design rules</b>	<b>6</b>
<b>component review</b>	<b>7</b>
<b>supported hosts</b>	<b>8</b>
<b>interconnect</b>	<b>9</b>
<b>storage</b>	<b>9</b>
<b>software</b>	<b>10</b>
<b>management</b>	<b>11</b>
<b>synergy of components</b>	<b>12</b>
<b>scaling-growth-flexibility</b>	<b>13</b>
What happens if I already own a tape library?	13
What if I want to backup more servers?	13
How can I increase the intelligence of my storage system to automate tasks and increase visibility and control?	13
How can I enhance my support options?	13
<b>high availability—disaster recovery/disaster tolerance</b>	<b>13</b>
<b>solution-specific configuration</b>	<b>13</b>
bill of materials	14
<b>why hp</b>	<b>16</b>
<b>for more information</b>	<b>16</b>
<b>additional solutions</b>	<b>16</b>
<b>hp components</b>	<b>16</b>
<b>hp services</b>	<b>17</b>
data migration services	17
operate and evolve services	17

## **executive summary**

This paper presents an HP technical blueprint for building mezzanine two-stage backup solutions, which include HP StorageWorks raid arrays, tape libraries, and software. The HP StorageWorks modular SAN array 1000 (msa1000) is a 2-Gb Fibre Channel storage system for the entry-level to midrange Storage Area Network (SAN). It reduces the complexity, expense, and risk of SAN deployments in an x86 server environment.

This system provides a low-cost, scalable, and high-performance storage system. The modular design of the msa1000 allows customers to easily add storage capacity up to 6 TB on an as-needed basis.

While the msa1000 is deployed most often as primary storage, it can also be used as a mezzanine solution for staged backup and restore, otherwise known as disk-to-disk backup. This added feature utilizes the current msa1000 drive array as a middle-tier backup and recovery device supported with industry-standard backup and recovery software.

In the immediate future, tape and disk will coexist within a solution to enhance life cycle data management. Tape will continue to provide the highest level of off-line or off-site data protection for natural disasters, viruses, and unauthorized users. Disk can add speed to recovery, reliability to mission critical backups, and opportunities to reduce backup time.

This blueprint includes the components, the design rules, and an example with a logical view, a physical view, and a bill of materials. Specifications are supplied for the components. Figure 1 presents a logical view of the mezzanine two-stage backup solution. Additional technical blueprints cover a wide range of solutions. For a list of these blueprints, refer to the [“for more information”](#) section.

Offering storage solution blueprints is how HP defines a configuration for a specific storage problem and provides all the information necessary to implement it. A blueprint represents a fully tested and supported configuration, orderable as a set of individual components from the HP standard price list. Recognizing that one size does not fit all, guidance on flexibility and scalability is given—ranging from minor changes listed in the blueprint itself, to providing design and consultancy services for total flexibility. Standard product support is provided for each component in a blueprint configuration, and optional design, build, integration, and enhanced-support services are also available from HP. Overall, the customer's experience is a quicker time to solution, without the limits of a fixed-product bundle.




figure 1. mezzanine two-stage backup solution: logical view

## business needs

Businesses today want fast, reliable storage solutions, which are easy to manage, along with comprehensive technologies for data recovery. When disasters hit, the true test of your abilities is the speed by which you get data back online.

What problem is this solution meant to solve? Two-stage backup utilizing the msa1000 and tape storage is being released to address customers' shrinking backup windows, by using SCSI disk technology that allows for higher I/O performance and offline backup and restore. This solution increases overall system performance by adding high-speed targets to the backup environment.

Adding a mezzanine approach to conventional tape-only backup offers many advantages during the backup and restore processes, including:

- Improved reliability using low-cost disk storage with RAID-based data protection
- Improved data availability with millisecond single file restores
- Improved backup system scalability using online storage capacity
- Improved backup and recovery system performance that can reduce the overall backup and restore window required

This mezzanine two-stage backup solution blueprint provides customers:

- Faster single file recovery from inexpensive near online storage.
- Decreased backup window by distributing file backups to near online storage and tape. Disk files are then copied to tape for offline storage.
- Increased data reliability by first capturing file backups to RAID-protected near online storage, where failure does not mean data loss.


As required, offline or offsite backup files can be efficiently copied to tape.

## solution design and design rules

An msa1000 provides large-capacity, low-cost storage over a SAN. This storage is used by a data protection application (HP OpenView Data Protector (DP), LEGATO NetWorker, VERITAS NetBackup (NBU) or Computer Associates BrightStor ARCserve Backup (AB)) for mezzanine

(tiered) storage. In the example solution presented here, an HP StorageWorks Enterprise Virtual Array (EVA) can backup data to tape resources through an HP Storage Works Network Storage Router (NSR) or to the msa1000. Using zoning and Selective Storage Presentation (SSP) in both the msa1000 and the NSR, multiple hosts can be configured to use the msa1000 and NSR storage devices. While multiple hosts can share a single tape device behind the NSR through the use of shared storage/SAN options in the application, each msa1000 logical device (Logical Unit Number (LUN)) must be presented to one and only one host. A host may have more than one LUN from the msa1000.

Using the data protection application, a "virtual jukebox" (DP) or a "disk storage unit" (NBU) or a "File System Device" (AB) is created, pointing to the newly created/presented msa1000 LUN. This allows the msa1000 to act as a backup target. Reading from the source EVA, data is packaged and backed up to the msa1000 LUN using the Logical backup device created for the msa1000 LUN within the application. Mezzanine storage provides faster single file recovery, a reduced backup window, and increased reliability.



**figure 2. mezzanine two-stage backup solution: physical view**

Ethernet connectivity provides out-of-band management for the solution components. The msa1000 is a dedicated mezzanine storage device.

## **assumptions**

- msa1000
  - Uses Selective Storage Presentation (SSP).
  - Stores data with RAID. When using RAID Advanced Data Guarding (ADG) data is protected if two disk drives should fail.
- tape library
  - An Enterprise Backup Solution (EBS)-supported MSL or ESL model tape library is used.
- backup process
  - All backups are LAN-free over the Fibre Channel fabric.
- recovery process
  - The primary backup copy is kept on disk. Copies made to tape are secondary copies, used for archival purposes. When the disk copy expires, the copy on tape becomes the primary backup file.
- Fibre Channel infrastructure
  - The SAN is operating correctly and is a known good environment before mezzanine storage is implemented.


## **design rules**

- When using multiple hosts on the msa1000, use SSP to protect LUNs. LUNs may not be shared, as shared LUNs may result in data corruption.
- The msa1000 can be configured with 32 LUNs. Best practices dictate no more than 16 servers accessing a single msa1000.
- The NSR on the fabric should be zoned using initiator-based hard zoning.

**component review**

<p><b>HP StorageWorks SAN Switch 2/16</b></p>		<ul style="list-style-type: none"> <li>• Sixteen 1-Gb/s and 2-Gb/s universal auto-sensing ports</li> <li>• Universal, self-configuring ports (F, FL, E)</li> <li>• 1U rack-mountable enclosure</li> </ul>
<p><b>HP StorageWorks MSL5026S2 Tape Library</b></p>		<ul style="list-style-type: none"> <li>• Supports one or two SDLT tape drives for native transfer rates up to 115.2 GB/hr (maximum)</li> <li>• Stores up to 4.2 TB of data (native)</li> <li>• Offers a scalable modular design. Up to 8 modules for a total capacity of up to 67.2 TB (2:1 compressed)</li> </ul>
<p><b>HP StorageWorks Modular SAN Array 1000</b></p>		<ul style="list-style-type: none"> <li>• Uses the latest industry-standard 2-Gb/s interconnects and Fibre Channel technology</li> <li>• Scales to 6.0 TB, using (42) 146-GB, 1-inch Universal hard drives</li> <li>• Throughput up to 200 MB/s</li> </ul>
<p><b>HP StorageWorks EVA</b> offers an enterprise class, high-performance, high-capacity, and high-availability Vraid storage solution</p>		<ul style="list-style-type: none"> <li>• Model 2C12D-B up to 22.8 TB (raw)</li> <li>• 2-Gb/s end-to-end Fibre Channel technology in 2-Gb/s Open Fibre Channel SAN networks</li> <li>• State-of-the-art controller software, with VersaStor-enabled virtualization technology</li> <li>• Available drive capacities: 36.4, 72.8, 146 GB</li> </ul>

For more information on HP storage products, visit:  
[www.hp.com/country/us/eng/prodserv/storage.html](http://www.hp.com/country/us/eng/prodserv/storage.html)



**figure 3. example mezzanine two-stage backup solution rack**

Customers with an existing SAN and a supported ESL or MSL tape library may only need to add the msa 1000 and the two 4314R enclosures. If a backup management server is not already in place, one must be added to support the solution. This server must meet the configuration requirements of the data protection application being used.

Figure 3 shows the solution racked in HP Rack 10000 Series 22U rack. The 10000 Series also includes 36U, 42U, and 47U racks. The e1200 NSR is embedded in the tape library.

**supported hosts**

supported hosts and Fibre Channel host bus adapters (HBAs)		
link speed	any Windows 2000 server	any Windows 2000 advanced server
1 or 2 Gb/s	FCA-2101 (245299-B21)	FCA-2101 (245299-B21)

interconnect

SAN Fibre Channel infrastructure		
features	HP StorageWorks SAN Switch 2/8	HP StorageWorks SAN Switch 2/16
<b>number of ports</b>	8	16
<b>per port line speed</b>	1.0625/2.125 Gb/s, Full Duplex	1.0625/2.125 Gb/s, Full Duplex
Note 1: An external FC switch must be used. The MSA Fabric Switch 6 is not supported.		
Note 2: Shaded areas represent hardware used in example technical blueprint configuration.		

storage

disk storage				
features	msa1000 w/72-GB drives plus two 4200/4300 disk enclosures	msa1000 w/146-GB drives plus two 4200/4300 disk enclosures		
<b>number of msa1000 drives</b>	14	14		
<b>number of 4200/4300 drives</b>	28	28		
<b>total raw capacity</b>	3.3 TB	6.6 TB		
Note 1: Shaded areas represent hardware used in example technical blueprint configuration.				
Note 2: One msa1000 can support a total of two single-bus 4200/4300 disk enclosures.				
tape storage				
features	HP StorageWorks MSL5026s2 tape library		HP StorageWorks MSL5030 tape library	
<b>drive type</b>	SDLT		LTO Ultrium	
<b>number of drives</b>	1	2	1	
<b>number of slots</b>	26		30	
<b>max native storage capacity</b>	4.2 TB		3.6 TB	
<b>max native data transfer rate</b>	16 MB/s 57.6 GB/hr	32 MB/s 115.2 GB/hr	15 MB/s 54 GB/hr	108 GB/hr
Note 1: An EBS-supported MSL or ESL model tape library is used.				
Note 2: Shaded areas represent hardware used in the example technical blueprint configuration.				

**software**

<b>data protection software</b>	<b>backup management server</b>	<b>host</b>	<b>description</b>
HP OpenView Storage Data Protector 5.0	Cell Manager	Media Agent Disk Agent	Data Protector offers a broad compatibility with multivendor platforms, applications operating systems, libraries, disks and topologies
LEGATO NetWorker 7.0	NetWorker Server	Client	Easily configurable with drop and drag options, with a configurable graphical interface providing menus, toolbars, and server/client lists.
VERITAS NetBackup Data Center 4.5	Master Server	Media Server Client	Intuitive graphical user interfaces enable organizations to manage all aspects of backup and recovery and allow consistent backup policies to be set across the enterprise.
NetBackup Vault	Vault		Simplifies the management and creation of tape duplicates for offsite vaulting.
Computer Associates BrightStor ARCserve Backup for Windows 9.0 SP1	Primary Server	Distributed Server	Provides an easy-to-use interface for backup, restore, and device management. Delivers reliable recovery and backup for distributed environments.

**management**

**backup management server**

**Must meet the minimum requirements for the data protection application.**

**msa1000 management software**

<b>management software</b>	<b>a SAN host</b>	<b>description/notes</b>
Array Configuration Utility XE	√	Provides a graphical view of drive array configurations. Web-based ACU-XE supports online, remote Web-based, and offline configuration.
Insight Manager XE	√	Serves as a powerful storage, server, and server option management tool. Browser-based Insight Manager XE provides full access from anywhere on the intranet, eliminating the need for a dedicated Insight Manager management console.

## synergy of components

This solution uses proven, customer-accepted, fault-tolerant technology with the option to add additional system and data reliability. There is no new technology to learn; it has the look and feel of primary storage with the added value of improving network efficiency.

Implementing a mezzanine two-stage backup solution adds flexibility and performance to an existing data protection system. Using this solution in concert with existing backup tools, high-priority data can be backed up and later restored in milliseconds. In addition, the new backup resources made available allow existing backup resources to support greater demands for storage and speed.

Tape libraries continue to play a vital role by providing data archiving and retention capabilities. These capabilities are critical to meet the growing requirements businesses face for retaining business information. They also play an essential role in disaster recovery and in making systems disaster tolerant.

Table 1 describes three scenarios to better meet data protection requirements when using mezzanine storage.

**table 1. scenarios for the mezzanine two-stage backup solution**

scenario description	backup window impact	restore time impact	best used for	notes
Full and incremental backups to msa1000; offline backup to tape	<ul style="list-style-type: none"> <li>Backup window reduced as additional backup resources are available</li> <li>Improved reliability from RAID-protected storage</li> </ul>	<ul style="list-style-type: none"> <li>Single file restore in milliseconds</li> </ul>	<ul style="list-style-type: none"> <li>Operations with a fixed backup window requiring all applications to be backed up at one time</li> <li>Business-critical data with zero tolerance for tape error handling</li> </ul>	<ul style="list-style-type: none"> <li>More efficient use of backup window</li> <li>Tape resources can be used more hours per day</li> </ul>
Weekly full backup to tape, daily incremental backups to msa1000	<ul style="list-style-type: none"> <li>Backup window reduced as additional backup resources are available</li> <li>More frequent backup for frequently changing data, without changing media</li> </ul>	<ul style="list-style-type: none"> <li>Instant access for single file restores</li> <li>Improved reliability from RAID-protected storage</li> </ul>	<ul style="list-style-type: none"> <li>Large sets of data requiring frequent file restores</li> </ul>	<ul style="list-style-type: none"> <li>Less administration required for frequent incremental backups</li> <li>Large backup window needed for weekly full backups to tape</li> </ul>
Full and incremental backups to msa1000 (not recommended for a full data protection solution)	<ul style="list-style-type: none"> <li>Multi-stream host backups to disk reduce the backup window</li> </ul>	<ul style="list-style-type: none"> <li>Instant access for full or file restores</li> <li>Improved reliability from RAID-protected storage</li> </ul>	<ul style="list-style-type: none"> <li>Business requires high data reliability and instant data recovery over short periods of time</li> </ul>	<ul style="list-style-type: none"> <li>Requirement of additional processes for disaster recovery and any required data archiving or retention</li> </ul>

## scaling-growth-flexibility

**What happens if I already own a tape library?**

- This mezzanine two-stage backup solution supports any MSL or ESL tape library that is supported by the StorageWorks Enterprise Backup Solution (EBS). See the [EBS Hardware/Software Compatibility Matrix](#) for a list of EBS supported tape libraries.

**What if I want to backup more servers?**

- Performance is heavily dependent on the size and types of applications being backed up. Consult your HP representative for recommendations to meet your specific needs.

**How can I increase the intelligence of my storage system to automate tasks and increase visibility and control?**

- Each data protection application provides tools to automate the backup process and the reporting of status, including error notification. These capabilities depend on the application components licensed for use. For more information, contact your HP sales representative.

**How can I enhance my support options?**

- See the [“hp services”](#) section for a description of available support offerings from HP.

## high availability—disaster recovery/disaster tolerance

HP offers solutions that simplify and streamline your infrastructure. Other available solutions provide business continuity and tape-based disaster recovery. For more information, refer to the following URLs:

- Consolidation Solutions: <http://h18006.www1.hp.com/storage/solutions/itconsolidation.html>
- Business Continuity Solutions: <http://h18006.www1.hp.com/storage/continuity>
- Tape-based Disaster Recovery Solutions: <http://h18000.www1.hp.com/products/storageworks/drtape/>

## solution-specific configuration

The following graphic lists a bill of materials (BOM) representing the major hardware and software used in the example mezzanine two-stage backup solution in this blueprint. Not all required cables, HBAs, and other necessary items have been included. For assistance, contact your HP sales representative.

**bill of materials**

<b>bill of materials</b>			
<b>management server</b>			
quantity	part number	description	comments
1	N/A	Windows 2000-server	Must meet minimum requirements of data protection software
<b>infrastructure</b>			
quantity	part number	description	comments
2	287055-B21	StorageWorks SAN Switch 2/16	
TBD	221470-B21 1005-0979	Optical Transceivers (SFPs) Short Wave Long Wave	Dependent on the number of hosts (minimum is 13, maximum is 32)
<b>tape library</b>			
quantity	part number	description	comments
1	293472-B25	MSL5026S2, 2 DRV, SDLT 160/320, RM Library with embedded FC router option	
<b>tape media</b>			
quantity	part number	description	comments
TBD	C7980A	HP Super DLT tape 220-320GB data cartridge	Dependent on size of backup data
1	C7982A	HP Super DLT tape cleaning cartridge	
<b>msa1000</b>			
quantity	part number	description	comments
1	201723-B22	msa1000	
1	218231-B22	msa1000 Controller, with 256MB cache	Second controller for msa1000
1	218960-B21	msa Fibre Channel I/O Module	
2	190209-001	HP StorageWorks Enclosure Model 4314R	
42	286778-B22	72.8 GB Pluggable Ultra320 Universal 1-inch hard drive, 15,000 rpm	

**figure 5. example mezzanine two-stage backup solution BOM**

<b>disk storage: EVA 2C12D-B</b>			
<b>quantity</b>	<b>part number</b>	<b>description</b>	<b>comments</b>
1	283199-B21	EVA 2C12D-B 60Hz (41U Graphite with backend FC loop switches)	
	250203-B24	VCS PKG DUAL HSV2.0A	
TBD		Pluggable Ultra320 Universal hard drives	Per customer requirements (48 minimum, 168 maximum)
1	231292-B22	Secure Path V4.0 for Windows (five licenses)	Obtain sufficient licenses to match the configuration
<b>software components</b>			
<b>quantity</b>	<b>part number</b>	<b>description</b>	<b>comments</b>
1	B6961AA	Data Protector 5.0 Starter Pack (LTU, media, and manuals)	
1	B6963AA	Drive extensions	One for each jukebox
1	B6958BA	Unlimited slots per library	One for each jukebox
1	QM-3P4AA-BW	NetWorker Operations Server Connection License, Windows	
1	VEI805XA	NetBackup, DataCenter, Windows NT/Windows 2000, SAN Media Server License, v4.5, Standard License	Select appropriate tier level
1	VEI582XA	NetBackup, DataCenter, Vault Option, Base (includes four drives), v4.5, Standard License	
1	VEI561XA	NetBackup, DataCenter, Shared Storage Option, v4.5, Standard License	
1	VEI806XA	NetBackup, DataCenter, Library Based Tape Drive Support, v4.5, Standard License	
1	CAP100AR	BrightStor ARCserve Backup v9 for Windows	
1	CAP103AR	BrightStor ARCserve Backup v9 SAN Option for Windows (includes TLO)	

figure 5. example mezzanine two-stage backup solution BOM (continued)

## why hp

The mezzanine two-stage backup solution offers customers the ability to reduce their backup and restore window while enhancing their existing backup infrastructure through scalability, reliability, and availability, where you want it and when you need it. HP provides a tested and supported end-to-end solution built with world-class components, supported by a single point of contact—HP. With a service and support organization of 5,000 storage service professionals in 160 countries, expert and responsive support is readily available. With a broad portfolio of storage-specific services, HP offers customers the peace of mind that comes from knowing that their solution works right now and can expand into their future with them.

HP mezzanine two-stage backup solutions offer the most scalable configurations—low/mid-range to enterprise-class storage—on the market. The solution can scale up and out to grow with customer needs, providing return on IT investment today and tomorrow. By offering the broadest range of operating system and HBA support, your solution works in your heterogeneous IT environment.

## for more information

For more information on mezzanine solutions and msa1000, visit:

<http://h18006.www1.hp.com/products/storageworks/msa1000/index.html>

## additional solutions

For additional HP solution technical blueprints, visit:

[www.hp.com/go/hpstorage\\_blueprints](http://www.hp.com/go/hpstorage_blueprints)

To get answers on further solution implementation questions, contact your HP sales representative who will consult our regularly updated interoperability matrices and provide guidance on additional operating system, fabric topology, and third-party/legacy device interoperability.

## hp components

To get further information on the individual components in an HP SAN, visit:

[www.hp.com/go/storage](http://www.hp.com/go/storage)

**hp services**

A full range of storage services are available including design, integration, data migration, support, and services to help you evolve your solution as needs change. For full details, contact your HP sales representative or visit:

[www.hp.com/hps/storage](http://www.hp.com/hps/storage)

The following services are available.

data migration  
services

We offer a stress-free data migration from mission-critical HP-UX, Windows NT/Windows 2000, SUN legacy, and EMC storage systems.

operate and evolve  
services

Services range from reactive hardware and software support (8 x 5 3-day response to 24 x 7, same-day response with 6-hour Call-to-Restoration commitments) to comprehensive, proactive mission-sensitive and mission-critical environment support. To help you evolve your storage environment, HP analyzes the performance and capacity usage of your storage environment including all major system components. A detailed performance and capacity report with recommendations on how to tune your performance and optimize your capacity usage is provided.

All brand names are trademarks of their respective owners.

Technical information in this document is subject to change without notice.

© 2003 Hewlett-Packard Company

05/2003