QUICKSPECS

MODELS

TL895-2 Drives 349350-B22

TL895-3 Drives 349350-B23

TL895-4 Drives 349350-B24


TL895-5 Drives 349350-B25

TL895-6 Drives 349350-B26

TL895-7 Drives 349350-B27

TL895 DLT Automated Library

Each library installation will require: (1) library system, (1) geographically specific localization kit, one differential SCSI cable for each DLT drive pair, and (96) pieces of DLT media with bar code labels. The minimum orderable configuration consists of a single library system with localization kit (in cases where customer already has the necessary IEC power cord, SCSI cables and media). Installation services may also be ordered for customers who want to have a certified Compag Engineer perform an on-site library installation.



Compaq StorageWorks TL895

High-Capacity Unattended Backup and Restore

The TL895 can provide years of fully automated operation for backup, retain & restore. The TL895 supports SCSI direct backup on multiple operating systems and platforms using industry-leading software vendors. Fibre Channel backup with the Compaq Enterprise Backup Solution offers multi-initiated backup and restoration with multiple ProLiant servers for Windows NT today with planned support for Novell NetWare environments.

Capacity, Performance and Scalability

The TL895 is a stand-alone DLT automated library with 96 fixed slots and a drive bay capable of supporting two to seven 35/70-GB DLT Drives. This scalability of performance allows the end user the opportunity to configure the device to meet their specific throughput and cost requirements.

Proven Reliability

With greater than 2,000,000 Mean Swaps Between Failure (MSBF), the TL895 is the most reliable in the industry. The TL895 robotics do not rely on guiding surfaces for the insertion of the DLT media, thus reducing drive contamination.

O/S Support

Windows NT v4.0 Novell NetWare v4.11 and above Tru 64 UNIX 4.0D Open VMS v6.2-1H3

Application Support

Seagate Software Backup Exec v7.2 for Windows NT (SCSI or Fibre Channel)

NetWorker for Windows NT v5.2 (Intel), v5.0 for Windows NT (Alpha) (SCSI)

Computer Associates (CA) ArcServe/Tv6.61 for Windows NT

Seagate Software Backup Exec v8.0 for NetWare (SCSI - Planned for Fibre Channel)

Computer Associates (CA) ArcServe/T v6.6 for NetWare

NetWorker (NSR) for Tru64 UNIX v5.2

Storage Library System (SLS) for OpenVMS V2.9B

Archive/Backup System (ABS) for OpenVMS V2.2

Hierarchical Storage Management OpenVMS V2.2

Sequential Media Filesystem V1.3

Media Robot Utility (MRU) V1.2

Compaq Insight Manager v4.23

Qualified and Supported by the ISV:

IBM ADSM v3.1.2.30 for Windows NT

IBM ADSM v3.1.2.30 for Sun Solaris

IBM ADSM v3.1.2.30 for IBM-AIX

Warranty¹ (3-1-1)

Three-year warranty¹, first year, on-site next day response

SPECIFICATIONS

Dimensions (HxWxD)

56.5 x 23.5 x 36.5/143.5 x 59.7 x 92.7 cm

Capacity (native)

6.72 TB

Performance (MB/s native)

5 MB/s per drive

Support up to seven 35/70 DLT drives for native transfer rates up to 126 GB/hr

QUICKSPECS

RELATED OPT	ΓΙΟΝS	•
-------------	-------	---

The TL895 solution includes five separate SKU details:

SKU1-Library System

SKU2- Drive Upgrade Kit

SKU3-Localization Kit

SKU4- Media Kit

SKU5- SCSI Cable Kit

DLT Library System

DET LIDIALY System	
96 slot TL895 library unit, 2 drive	349350-B22
96 slot TL895 library unit, 3 drive	349350-B23
96 slot TL895 library unit, 4 drive	349350-B24
96 slot TL895 library unit, 5 drive	349350-B25
96 slot TL895 library unit, 6 drive	349350-B26
96 slot TL895 library unit, 7 drive	349350-B27
Localization Kits	
Country Kit, (US/Canada/Mexico)	349386-001
Country Kit, (Australia/China/New Zealand)	349386-011
Country Kit, (South East Asia/India)	349386-AR1
Country Kit, (Central Europe)	349386-021
Country Kit, (United Kingdom/Hong Kong)	349386-031
Country Kit, (Switzerland)	349386-111
Country Kit, (Italy)	349386-061
Country Kit, (Denmark)	349386-081
Country Kit, (Japan)	349386-291
Drive Upgrade Kits	
DLT7000 drive upgrade kit	349351-B21
DLT7000 drive upgrade kit (Japan)	349351-291
Media Cartridges	
DLT IV data cartridges	
Single Pack	295194-B21
7 Pack	295192-B21
DLT Cleaning Cartridge	199704-001
Host Bus Adapters	
StorageWorks Dual Channel Ultra-Wide Differential Library Host Bus Adapter	157299-B21
Compaq ProLiant Imbedded Controllers	
Compaq SE Wide Ultra3	272514-001
Compaq Dual Channel SE Wide Ultra3	295554-B21
Compaq Dual Channel Ultra2 / LVD	348757-B21
SCSI Cable Kits	
Wide Differential SCSI cable, 5 meters	328215-001
Wide Differential SCSI cable, 10 meters	328215-002
Wide Differential SCSI cable, 15 meters	328215-003
Wide Differential SCSI cable, 20 meters	328215-004
,	

QUICKSPECS

RELATED OPTIONS (continued)

ProLiant Connectivity Kits

Fast Wide Single Ended, 68 HD	
US, Canada, Mexico	113395-001
Central Europe, UK, Hong Kong	113395-B31
Japan	113395-291
Fast Wide Single Ended, VHDCI	
US, Canada, Mexico	113396-001
Central Europe, UK, Hong Kong	113396-B31
Japan	113396-291
SCSI Converter Rack Mounting Bracket	122612-B21
(holds 4 Connectivity Kit DWZZC converters)	

¹ Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details. In Canada, consult the Product Information Center at 1-800-567-1616 for details.